

Package: btrm (via r-universe)

May 28, 2026

Type Package

Title Bayesian Treed Regression Model for Personalized Prediction and Precision Diagnostics

Version 0.2.0

Date 2025-05-26

Description Generalization of the Bayesian classification and regression tree (CART) model that partitions subjects into terminal nodes and tailors regression model to each terminal node.

License GPL (>= 2)

Depends R (>= 4.5.0), pROC, arm, stats, graphics, MASS

NeedsCompilation no

Author Yunro Chung [aut, cre] (ORCID: <https://orcid.org/0000-0001-9125-9277>), Yaliang Zhang [aut]

Maintainer Yunro Chung <yunro.chung@asu.edu>

Config/pak/sysreqs cmake make

Repository <https://ze23i651096531.r-universe.dev>

Date/Publication 2025-05-26 22:30:02 UTC

RemoteUrl <https://github.com/cran/btrm>

RemoteRef HEAD

RemoteSha 3f78353ef01355dada7c6bb194760062b3d39712

Contents

btrm	2
Index	5

btrm

*Bayesian Treed Regression Model***Description**

The treed regression model generalizes the Bayesian classification and regression tree (CART) model by partitioning subjects into terminal nodes and tailoring simple regression model to each terminal node.

Usage

```
btrm(y, x, z, ynew, xnew, znew, sparse, nwarm, niter, minsample, base, power)
```

Arguments

y	Response vector. If a factor coded as 0 or 1, classification is assumed. Otherwise, regression is assumed.
x	Data.frame or matrix of predictors that is used to estimate a tree structure.
z	Data.frame or matrix of predictors that is used in terminal node specific ML models. See the description below about the difference between x and z.
ynew	Response vector for the test set corresponding to y (default ynew=NULL).
xnew	Data.frame or matrix for the test set corresponding to x (default xnew=NULL).
znew	Data.frame or matrix for the test set corresponding to z (default znew=NULL).
sparse	Whether to perform variable and machine learning model selections based on a sparse Dirichlet prior rather than simply uniform (default sparse=TRUE).
nwarm	Number of warm-up (default nwarm=1000).
niter	Number of iteration (default niter=1000).
minsample	The number of minimum sample size per each node, i.e., $\text{length}(y) > \text{min_sample}$ if y is continuous and $\min(\text{length}(y==1), \text{length}(y==0)) > \text{min_sample}$ (default min_sample=20).
base	Base parameter for tree prior (default base=0.95).
power	Power parameter for tree prior (default power=0.8).

Details

Ideally, there are two sets of predictors, x and z, e.g., demographic variables and biomarkers, where x is used to split trees, and z is assigned to each terminal node. However, if this is not possible, it allows us to use the same x and z in the btml function, e.g., `btml(y=y, x=x, z=x, ...)`. For high-dimensional variables, increase `nwarm=10000` and `niter=10000`, or more; and increase `minsample`.

Ideally, there are two sets of predictors, x and z, e.g., demographic variables and biomarkers, where x is used to split trees, and z is assigned to each terminal node. However, if this is not possible, it allows to use the same x and z in the btrm function, e.g., `btrm(y=y, x=x, z=x, ...)`.

Regarding the node numbers, an internal node s has left and right child nodes $2*s$ and $2*s+1$, respectively, where node 1 is a root node; nodes 2 and 3 are left and right child nodes of node 1; nodes 4 and 5 are left and right nodes of node 2; and so on.

Value

An object of class `btrm`, which is a list with the following components:

<code>terminal</code>	Node numbers in terminal nodes.
<code>internal</code>	Node numbers in internal nodes.
<code>splitVariable</code>	Variable (i.e., $x[,u]$ if <code>splitVariable[k]=u</code>) used to split the internal node k .
<code>cutoff</code>	<code>cutoff[k]</code> is the cutoff value to split the internal node k .
<code>marker</code>	Marker (i.e., $z[,v]$ if <code>marker[t]=v</code>) assigned to the terminal node t .
<code>node.hat</code>	Estimated node on the training set.
<code>marker.hat</code>	Estimated marker on the training set.
<code>beta.hat</code>	<code>beta.hat[[t]]</code> is estimated regression coefficients from the linear (or logistic) regression model at the terminal node $t \in \text{terminal}$.
<code>y.hat</code>	Estimated y (or probability) on the training set if y is continuous (or binary).
<code>mse</code>	Training MSE.
<code>bs</code>	Training Brier Score.
<code>roc</code>	Training ROC curve.
<code>auc</code>	Training AUC.
<code>y.hat.new</code>	Estimated y (or probability) on the test set if y is continuous (or binary).
<code>node.hat.new</code>	Estimated node on the test set.
<code>marker.hat.new</code>	Estimated marker on the test set.
<code>mse.new</code>	Test MSE.
<code>bs.new</code>	Test Brier Score.
<code>roc.new</code>	Test ROC curve.
<code>auc.new</code>	Test AUC.

Author(s)

Yunro Chung [aut, cre], Yaliang Zhang [aut]

References

Yaliang Zhang and Yunro Chung, Bayesian treed model (in preperation)

Examples

```
set.seed(10)
###
#1. continuous y
###
n=200*2 #n=200 & 200 for training & test sets

x=matrix(rnorm(n*10),n,10) #10 predictors
z=matrix(rnorm(n*10),n,10) #10 biomarkers
```

```

xcut=median(x[,1])
subgr=1*(x[,1]<xcut)+2*(x[,1]>=xcut) #2 subgroups

lp=rep(NA,n)
for(i in 1:n)
  lp[i]=1+3*z[i,subgr[i]]
y=lp+rnorm(n,0,1)

idx.nex=sample(1:n,n*1/2,replace=FALSE)
ynew=y[idx.nex]
xnew=x[idx.nex,]
znew=z[idx.nex,]

y=y[-idx.nex]
x=x[-idx.nex,]
z=z[-idx.nex,]

fit1=btrm(y,x,z,ynew=ynew,xnew=xnew,znew=znew)
print(fit1$mse.new)
plot(fit1$y.hat.new~ynew,ylab="Predicted y",xlab="ynew")

###
#2. binary y
###
x=matrix(rnorm(n*10),n,10) #10 predictors
z=matrix(rnorm(n*10),n,10) #10 biomarkers

xcut=median(x[,1])
subgr=1*(x[,1]<xcut)+2*(x[,1]>=xcut) #2 subgroups

lp=rep(NA,n)
for(i in 1:n)
  lp[i]=1+3*z[i,subgr[i]]
prob=1/(1+exp(-lp))
y=rbinom(n,1,prob)
y=as.factor(y)

idx.nex=sample(1:n,n*1/2,replace=FALSE)
ynew=y[idx.nex]
xnew=x[idx.nex,]
znew=z[idx.nex,]

y=y[-idx.nex]
x=x[-idx.nex,]
z=z[-idx.nex,]

fit2=btrm(y,x,z,ynew=ynew,xnew=xnew,znew=znew)
print(fit2$auc.new)
plot(fit2$roc.new)

```

Index

btrm, 2